

Cornell Cooperative Extension Eastern NY Commercial Horticulture Program



Total Marketable Yield (Cwt) per Acre



Trial Information

- Schoharie County
- Conventional
- Row spacing: 34", in row spacing: 8"
- Planted May 12th
- Plants irrigated 4 times in August
- Vines mowed first week in September, dug Sept 27th
- Grading October 26th using grower grader with chains set at various lengths as seen in data

White Skin Lines

NY 151

- Bright, white skinned variety with a very round attractive shape
- Little bit of green, not a lot of appearance flaws
- Overall size and yield potential is decent
- Eyes are fairly shallow
- Would evaluate again



| | | /ield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|------------------|---|-----------------|------------------|--|-----------------|--|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | |
| 245.92 | 2.03 | 175.45 | 68.44 | 4.06 | 350.90 | 136.88 | |

AF4648-2

- Incredibly bright, white, smooth skin and flesh; mostly smooth skinned, very few shallow eyes
- Tubers are mostly flat oblong with a few rounds
- Very firm and hard to cut by hand
- Culls were mostly growth cracks and some greening



| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|---|------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 235.48 | 5.51 | 5.51 152.83 77.14 | | | 305.66 | 154.28 |

AF4138-8

- Bright white skin, raised lenticals
- Bright white flesh
- Some scab
- Not a lot of large tubers, mostly round but larger ones are slightly oblong
- Small, shallow eyes



| | | f Marketable Distribution | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|------------------|------------------------------|-----------------|--|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 133.40 | 4.93 | 65.83 | 62.64 | 9.86 | 131.66 | 125.28 |

Eva

- Standard to grade against
- White skin, white flesh
- Good amount of scab, more than preferred seen
- Some greening
- Shallow to medium eyes
- Chef size tubers get a little oblong



| | | Marketable 1 Distribution (| - | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|------------------|--------------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 134.56 | 1.74 | 114.55 | 18.27 | 3.48 | 229.10 | 36.54 |


AF5225-1

- White skin and creamy white flesh
- Very round
- Not bad looking overall, but small
- Fairly clean of scab
- Smooth skin, with medium depth eyes



| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|---|------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 189.95 | 0.00 | 73.95 | 116.00 | 0.00 | 147.90 | 232.00 |







AF4648-2





Eva



Red Skin Lines

NY 164


- Decent red color, a shade darker than NY 118, similar to AF4831-2
- Bright white flesh
- Impressed overall with size and color
- Not a lot of heaving netting, eyes were shallow and few
- Has potential



| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|---|------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 213.44 | 18.56 | 47.85 | 147.03 | 37.12 | 95.70 | 294.06 |

NY 118

- Red skin, a little bit lighter compared to other reds, nice though
- Bright white flesh
- Decent size, pretty round
- Shallow eyes
- A few growth cracks



| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|--|---|------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 161.24 | 10.15 | 121.22 | 29.87 | 20.30 | 242.44 | 59.74 |


AF4831-2

- Red skin, not super dark or light, very nice
- White flesh
- Not much scab
- Shallow eyes, not too many of them
- Some silver scurf but not bad



| | | ield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|--|------------------|--|-----------------|------------------|---|-----------------|--|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | |
| 173.71 | 0.00 | 52.49 | 121.22 | 0.00 | 104.98 | 242.44 | |





NY 118

NY 164



AF4831-2

Yellow Flesh Lines

McBride

- Round white, fairly bright white skin
- Pale yellow flesh
- Some texture to the skin
- Eyes are medium but not real deep
- Attractive looking tubers



| | | Marketable 1 Distribution (| - | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|------------------|--------------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 108.75 | 0.00 | 55.97 | 52.78 | 0.00 | 111.94 | 105.56 |

NY 149

- Shape is not quite round, slightly oblong
- Flesh color is pale yellow
- Small shallow eye with pink tinge
- Picked out what appears to be Potato Virus Y, less than 2%
- Lacks size that Yukon Gold gets



| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|---|------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 151.38 | 0.00 | 68.44 | 82.94 | 0.00 | 136.88 | 165.88 |

AF4659-1

- Oblong and thin with a red ribbon around it, more of a specialty fingerling
- Variable size and shape with stem end often tapered, which may lead to mechanical grading issues
- Medium yellow flesh
- Eyes are shallow and few
- Due to shape, many A's fall through chain to become B's



| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|---|------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 244.18 | 0.00 | 0.00 109.33 134.85 | | 0.00 | 218.66 | 269.70 |

NY 161

- Round, white skin with distinct purple coloring on eyes
- Buttery yellow to medium yellow flesh, very appealing
- Overall size is okay
- Slightly oblong shape with some flats
- Not sure what consumers will think about the purple eyes, potentially think it is diseased?



| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|---|------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 203.00 | 1.45 | 121.22 | 80.33 | 2.90 | 242.44 | 160.66 |







AF4659-1

NY 149

Specialty Lines

AF5414-1


- Red skin, fairly deep eyes
- Pink/rose starburst flesh is pretty
- Mostly round shape, a little oblong
- Fairly small but clean
- No scab



| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|---|------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 163.85 | 0.00 | 93.09 | 70.76 | 0.00 | 186.18 | 141.52 |

Michigan Purple

- Good yield, great size
- Flat, round shape, very pretty overall
- Medium eyes
- White flesh, dark purple skin
- Some scab and some splits, but very few defects



AF5245-1

- Dark purple skin with a bit of netting, very attractive
- Tubers are flat round to slightly oblong
- Bright white flesh
- Medium deep eyes
- Fair yield, but still small in size




| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|---|-------------------------|-----------------|---|-------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 154.86 | 4.06 | 79.75 | 71.05 | 8.12 | 159.50 | 142.10 |

Raspberry

- Oblong, specialty fingerling
- Dark purple skin
- Purple/magenta interior that is very pretty
- Size is small and A's fall through the chain to B's
- Eyes medium, shallow
- Little bit of scab



| | | Marketable T Distribution (| - | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|------------------|--------------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 84.10 | 0.00 | 8.12 | 75.98 | 0.00 | 16.24 | 151.96 |



Raspberry



AF5245-1




AF5414-1



Russets

AF5406-17

- Long, white oblong
- Good size
- Deep, medium eye
- White, moist flesh
- A touch of alligator hide
- A little scab and wireworm damage



(< 2")

26.97

(> 3")

37.12

(> 2 1/2")

130.50

(< 2")

53.94

(> 3")

18.56

Yield (Cwt)¹

110.78


(> 2 1/2")

65.25

| Cornell | Cooperative | Extension |
|---------|-------------|-----------|
| | | |

AF5164-19


- Long, white oblong
- Pretty uniform with good size
- Overall poor quality due to a fair amount of scab, a little bit of green, some elephant hide, fair amount of stem end rot, a little bit of wireworm damage, some misshapes
- Fairly deep eyes
- Nice, bright white flesh



| | | Marketable T Distribution (| - | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|------------------|--------------------------------|-----------------|--|-------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 129.05 | 16.82 | 86.71 | 25.52 | 33.64 | 173.42 | 51.04 |

AF5633-2

- Long russet
- Raised lenticels
- White flesh
- Medium shallow eye
- Vascular discoloration on stolon end, but not unmarketable
- Overall size isn't bad but not a pretty tuber



| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|---|------------------------|-----------------|--|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 180.96 | 7.83 | 107.59 | 65.54 | 15.66 | 215.18 | 131.08 |

AF3362-1

- Long, narrow, oblong size
- Nice shape and skin
- Eyes fairly shallow
- Flesh is a nice, bright white.
- A little scab and alligator hide
- Some cuts and misshapes, misshapes can still be sold in fresh markets here
- Very nice, would like to see more grown in this region



| | | Marketable T Distribution (| - | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|------------------|--------------------------------|-----------------|--|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 156.89 | 79.46 | 34.22 | 86.42 | 68.44 | 27.54 | 50.65 |

AF5312-1

- Nicer russet skin than AF5164-19 and AF5406-7
- Size is a little bit smaller than other russets but uniform size and shape
- Mostly oblong
- Shallow, smooth eyes
- Bright white flesh
- Some wireworm damage but no scab



| | Yield of Marketable Tubers by Size Distribution (cwt.) | | | Yield of Marketable Tubers by Size Distribution (50 lb bags) | | |
|---|---|------------------------|-----------------|---|------------------------|-----------------|
| Total Marketable Yield (Cwt) ¹ | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") | Chef's (> 3") | #1 "A's" (> 2 1/2") | "B's" (< 2") |
| 183.28 | 4.35 | 127.31 | 51.62 | 8.70 | 254.62 | 103.24 |

